


Specifications of timber used. All sizes are nominal (before machining) unless otherwise stated.



All framing is rounded on all four corners.

PLEASE NOTE:

Buildings are available in all timber specifications and can be manufactured to your individual requirements

QUALITY BUILT TO LAST

Approved agent, stockist and distributor for Timber Garden Buildings Limited.

All contents of this brochure including photographs can only be reproduced with written permission and prior consent from Timber Garden Buildings Limited.

Designed by B-17 design, publicity and marketing. 01302 775252.



STORAGE AND KENNELS



SUMMERHOUSES



SHEDS

PLAYHOUSES



contents



- | | | |
|--------------------------|---------------------|-----------------------|
| 4 Superior Apex | 11 Corner Cabin | 19 Garden Tidy |
| 4 Standard Apex | 12 Security Apex | 20 Garden Chest |
| 5 Superior Pent | 12 Security Pent | 20 Wheelie Bin Store |
| 5 Standard Pent | 13 Potting Shed | 21 Dog Kennel |
| 6 Bentley's Supreme Apex | 14 Sunflower | 21 Deluxe Apex Kennel |
| 6 Bentley's Supreme Pent | 15 Heavy Duty Apex | 22 Pent Kennel |
| 7 Rhino Apex | 15 Heavy Duty Pent | 22 Hen House |
| 7 Rhino Pent | 16 Garage | 23 The Chatsworth |
| 8 The Groundsman | 17 Pent Garage | 24 The Elton |
| 9 Hipex | 18 Traditional Barn | 25 The Windsor |
| 10 Cabin | 19 Garden Store | 26 The Balmoral |

contents



- | | | |
|--------------------------------|---------------------------|---------------------|
| 22 The Buckingham | 35 Dual Pent Summer House | 43 Ladybird Cottage |
| 28 The Kensington | 36 Pent Summer House | 44 Snowdrop Cottage |
| 29 Summer Cabin | 37 The Althorpe | 45 The Fortress |
| 30 The Wentworth | 38 Octagon 8 & 10 | 46 Kids Clubhouse |
| 31 The Harewood | 39 Stretched Octagon 8 | 47 Charleys Castle |
| 32 Corner Summerhouse Georgian | 40 The Pavilion | 48 The Hideaway |
| 33 Corner Summerhouse Leaded | 41 Toddlers Retreat | 49 Candy Cabin |
| 34 Blenheim | 42 My Little Den | 50 Wilton Lodge |

PLEASE NOTE: All our playhouses conform to trading standards BS5665 and are fitted with the CE mark Safety features include: acrylic safety glass with planed and rounded corners on all the framing, staircases with horizontal tread, and hand rails. Doors are fitted with anti trap plastic strip to prevent finger injury.

introduction

At Timber Garden Buildings Ltd we manufacture a comprehensive range of quality garden buildings. We take great care and pride in our attention to detail and feel confident you will find a product suitable for your needs. Many options are available for all our buildings, these include; 22mm floorboards, 22mm premier cladding, 19mm log effect cladding, security products, 38mm x 50mm framing as standard, 50mm x 50mm and 50mm x 75mm framing, additional doors and windows, and increased eaves heights. If you cannot find a building to suit your needs please enquire about a custom built model as we cater for our customer needs.

We are a progressive forward thinking company and in-line with our policy of continual development and improvement reserve the right to change specifications, designs and prices without notice.

All buildings are pre treated with quality water based wood preservative prior to delivery. To ensure longevity we recommend a top coat upon installation, and annually thereafter. Timber is a natural product, subject to changes caused by environmental conditions, to minimise contraction and expansion it is essential to maintain your building.

All timber sizes are nominal, before machining unless stated.

All building dimensions shown are approximate, based on external wall sizes, allowances should be made for roof overhangs when locating your building in a confined space.

All glass used is 3mm horticultural unless otherwise stated.



sheds

SUPERIOR APEX STANDARD FEATURES

Fully tongue and grooved construction
Door can be positioned on any side or end wall
Ledged and braced door
Lock and key
Interchangeable panels

SPECIFICATION

Sizes from:
1.22m x 1.22m (4' x 4') up to
3.66m x 2.44m (12' x 8')
Superior Eaves Height 1864mm
Superior ridge Height
4' - 86" / 2190mm
5' - 89" / 2260mm
6' - 92" / 2336mm
8' - 97" / 2475mm
Door 1880mm x 762mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floor boards
50mm x 50mm framing
Security options
Opening window
Felt options

Superior & Standard Apex

STANDARD APEX STANDARD FEATURES

Fully tongue and grooved construction
Ledged and braced door
Lock and key
Interchangeable panels

SPECIFICATION

Sizes from:
1.22m x 1.22m (4' x 4') up to
3.66m x 2.44m (12' x 8')
Standard eaves ht. 1685mm
Standard ridge ht.
4' - 78" / 1985mm
5' - 81" / 2050mm
6' - 85" / 2160mm






8' - 90" / 2280mm
Door 1775mm x 762mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floor boards
50mm x 50mm framing
security options
opening window
Stable Door
Felt options

sheds



**SUPERIOR PENT
STANDARD FEATURES**

3" x 2" Framed roof
Fully tongue and grooved construction
Door can be positioned on any side or end wall
Lock and key

SPECIFICATION

Sizes from:
1.22m x 1.22m (4' x 4') to
3.66m x 2.44m (12' x 8')
Eaves ht. 76" / 1937mm
Ridge ht. 85" / 2153mm
Door 1880mm x 762mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floor boards
50mm x 50mm framing
Security options
Felt options

Superior &
Standard Pent

**STANDARD PENT
STANDARD FEATURES**

3" x 2" Roof
Fully tongue and grooved construction
Door can be positioned on any side or end wall
Lock and key

SPECIFICATION

Sizes from:
1.22m x 1.22m (4' x 4') to
3.66m x 2.44m (12' x 8')
Eaves ht. 68 1/2" / 1737mm
Ridge ht. 76 3/4" / 1953mm
Door (front) 1765mm x 762mm
Door (to 4ft end) 1690mm x 762mm




Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
22mm Floorboards
50mm x 50mm Framing
Security features

sheds



Bentley's
Supreme
Apex and Pent

PENT



**BENTLEY'S SUPREME APEX
STANDARD FEATURES**

Diagonal bracing in the sides
Diagonal bracing in the ends
38mm x 50mm boxed framed door
6'2" High door (available in either end)
Standard press lock and key
Zinc plated hinges
3 fixed windows

**SPECIFICATION – Bentley Supreme
Apex**

Sizes from 2.44m x 1.83m (8' x 6') up
to 3.66m x 2.44m (12' x 8')
Eaves height 5'10" / 1778mm
Ridge height
4' – 81" / 2078mm
5' – 84" / 2143mm

6' – 88" / 2253mm
8' – 93" / 2373mm
Door 1778mm x 914mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

**OPTIONS AVAILABLE - Bentley
Supreme Apex and Pent**

22mm Premier Cladding
19mm Log Lap Cladding
22mm Floor boards
Increased height options which enables the door to be positioned on any side wall
Workshop upgrade to include 4' wide fully framed boxed door
Felt options

sheds



Rhino

STANDARD FEATURES

75mm x 50mm Fully framed door
 Roof constructed of 75mm x 50mm framing
 Door can be positioned at any side or end wall
 Mortice lock and key with antique handles
 30" fully framed boxed door and fully boarded both sides
 Heavy duty hinges
 75mm x 50mm framed roofing truss
 3 fixed windows
 Heavy duty felt

APEX SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')
 Eaves height 1.864mm

Ridge height
 4' – 86" / 2190mm
 5' – 89" / 2260mm
 6' – 92" / 2336mm
 8' – 97" / 2475mm
 Door 1880mm x 762mm
 Windows 610mm x 457mm
 Framing 75mm x 50mm
 Cladding 16mm x 125mm

PENT SPECIFICATION

Eaves height 76" / 1937mm
 Ridge height 85" / 2153mm

OPTIONS AVAILABLE - Apex & Pent

22mm Premier Cladding
 19mm Log Lap Cladding
 22mm Floor boards
 Felt options
 Larger sizes available upon request

PENT



sheds



The Groundsman

STANDARD FEATURES

4ft double doors boarded both sides, 75mm x 50mm fully framed
 Roof constructed of 75mm x 50mm framing
 Doors can be positioned on any side or end wall
 Diagonal bracing to sides and ends
 Mortice lock and key with antique handles
 Heavy duty hinges
 75mm x 50mm Framed roof truss
 Joinery windows
 Untreated workbench (h) 825mm x (w) 1850mm x (d) 635mm
 Heavy duty felt

APEX SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')



Eaves height. 1.864mm
 Ridge height:
 4' – 86" / 2190mm
 5' – 89" / 2260mm
 6' – 92" / 2336mm
 8' – 97" / 2475mm
 Door 1880mm x 1220mm
 2 fixed windows 610mm x 457mm
 1 opening window 552mm x 400mm
 Framing 75mm x 50mm
 Cladding 16mm x 125mm

PENT SPECIFICATION

Eaves height 76" / 1937mm
 Ridge height 85" / 2153mm

OPTIONS AVAILABLE - Apex & Pent

22mm Premier Cladding
 19mm Log Lap Cladding
 22mm Floor boards
 Felt options
 Larger sizes available upon request

sheds



Hipex

STANDARD FEATURES

Fully tongued and grooved construction
 Door can be positioned on front side or either end wall
 Ledged and braced door
 Lock and key

SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')
 Eaves height 1.964m
 Ridge height
 4' - 90" / 2290mm
 5' - 93" / 2360mm

6' - 96" / 2436mm
 8' - 101" / 2575mm
 Door 1775mm x 762mm
 Windows 610mm x 457mm
 Framing 38mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

50mm x 50mm framing
 22mm Premier Cladding
 19mm Log Lap Cladding
 22mm Floor boards
 Security options
 Stable door
 Felt options

sheds



Cabin

STANDARD FEATURES

Front and side fixed windows
 Roof overhang 1' or 300mm
 Central door

SPECIFICATION

Sizes from:
 1.52m x 2.13m (5' x 7') up to
 2.44m x 3.05m (8' x 10')
 Eaves ht. 1685mm
 Ridge ht. 6' - 85" / 2160mm
 7' - 89" / 2270mm
 8' - 90" / 2280mm
 10' - 93" / 2370mm
 Door 1775mm x 762mm

Windows 610mm x 457mm
 Framing 38mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

50mm x 50mm framing
 22mm premier cladding
 19mm Log Lap cladding
 22mm floor boards
 2'6" or 4' verandah
 Security options
 Stable door
 Felt options

sheds



Corner Cabin

STANDARD FEATURES

3' wide ledged and braced
50mm x 50mm door with rim lock,
door knob and 16" zinc coated door
hinges
Joinery opening windows

SPECIFICATION

Eaves ht. 76" / 1937mm
Ridge ht. 84" / 2153mm
Door 1775mm x 914mm
Windows 610mm x 457mm
Framing 38mm x 50mm

OPTIONS AVAILABLE

22mm Premier cladding
22mm floor boards
50mm x 50mm framing
4ft double doors on all sizes
Felt options

sheds



Security Apex and Pent

PENT



STANDARD FEATURES

Framing at 1'-300mm intervals
throughout the sides for increased
strength
38mm x 50mm diagonal bracing in
gable ends
Galvanised bolted hinges
Security bolted padbolt protector
Internal glazed security window

APEX SPECIFICATION

Sizes from:
1.22m x 1.22m (4' x 4') to
3.66m x 2.44m (12' x 8')
Eaves ht. apex 1864mm
Ridge ht. apex 6' - 92" / 2350mm
8' - 97" / 2475mm
Door 1880mm x 762mm
Windows 1220mm x 150mm


Framing 38mm x 50mm
Door fully framed and braced in
50mm x 50mm framing
Cladding 16mm x 125mm

PENT SPECIFICATION

Eaves ht 76" / 1937mm
Ridge ht 84" / 2153mm
Door 1880mm x 762mm

OPTIONS AVAILABLE

50mm x 50mm framing
22mm premier cladding
22mm floor boards
3' Door
4' Double Doors
5' Double Doors
Door ramp
Felt options




sheds



sheds



Potting Shed



STANDARD FEATURES

- 3" x 2" Framed roof
- Full length slatted staging under window
- Stable door
- Opening window in one end

SPECIFICATION


- Sizes from: 1.83m x 1.83m (6' x 6') to 3.05m x 2.44m (10' x 8')
- Eaves ht. 73" / 1854mm
- Ridge ht. 81" / 2058mm
- Door 1810mm x 762mm
- Windows 6' - 1530 x 1200mm

- 8' - 2160mm x 1200mm
- 10' - 2750mm x 1200mm
- Framing 38mm x 50mm
- Cladding 16mm x 125mm

OPTIONS AVAILABLE

- Toughened glass
- 22mm premier cladding
- 50mm x 50mm Framing
- 22mm floor boards
- Door available at either end of building
- Felt options

Sunflower



STANDARD FEATURES

- 3" x 2" Framed roof
- Full length slatted staging under window
- Full height windows returning at both ends
- Two joinery opening windows

SPECIFICATION


- Sizes from: 1.83m x 1.83m (6' x 6') to 3.05m x 2.44m (10' x 8')
- Eaves ht. 73" / 1860mm
- Ridge ht. 81" / 2057mm
- Door 1810mm x 762mm

- Windows 6' - 1645mm x 905mm
- 8' - 2220mm x 905mm
- 10' - 2805mm x 905mm
- Framing 38mm x 50mm
- Cladding 16mm x 125mm

OPTIONS AVAILABLE

- 22mm premier cladding
- 22mm floor boards
- 50mm x 50mm framing
- Stable door
- Door available at either end of building
- Felt options

sheds



Heavy Duty Apex and Pent

PENT



STANDARD FEATURES

50mm x 50mm framing throughout with diagonal bracing
Substantial 75mm x 50mm roof truss:
1 up to 15ft
3 up to 20ft
5 up to 30ft
Heavy duty roofing felt
Joinery windows

APEX SPECIFICATION

Sizes from:
3.05m x 2.44m (10' x 8') to
9.14m x 3.66m (30' x 12')
Eaves ht. 1895mm
Ridge ht. 8' - 98" / 2490mm
10' - 102" / 2595mm
12' - 106" / 2690mm

Door 1880mm x 762mm
Windows 610mm x 457mm
Opening window 552mm x 400mm
Framing 50mm x 50mm
Cladding 16mm x 125mm

PENT SPECIFICATION

Eaves ht. 76" / 1937mm
Ridge ht. 84" / 2153mm
Door 1880mm x 762mm

OPTIONS AVAILABLE

22mm premier cladding
22mm floor boards
4', 5', 6' or 7' double doors
Security options
Felt options

sheds



Garage

STANDARD FEATURES

50mm x 50mm framing throughout with diagonal side bracing
Substantial 75mm x 50mm roof truss:
1 up to 15ft
3 up to 20ft
5 up to 30ft
Heavy duty roofing felt
Joinery windows

SPECIFICATION

Sizes from:
3.05m x 2.44m (10' x 8') to
9.14m x 3.66m (30' x 12')
Eaves ht. 74" / 1895mm
Ridge ht. 8' - 94" / 2490mm
10' - 102" / 2595mm

12' - 106" / 2690mm
Double Doors 1880mm x 2135mm
Side Door 1775mm x 762mm
All doors are in 75mm x 50mm framing and braced
Windows 610mm x 457mm
Opening window 552mm x 400mm
Framing 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
4', 5', 6' or 7' fully framed 75mm x 50mm double doors
With lock and key
Security options
Felt options

sheds

storage & kennels



Pent Garage

STANDARD FEATURES

50mm x 50mm framing throughout with diagonal bracing
 Heavy duty roofing felt
 Side access door
 3 pane joinery window (centre opener) and cill

PENT SPECIFICATION

Size from: 8' x 10' (2.44m x 3.05m) to 12' x 20' (3.66m x 6.10m)
 Eaves ht. External 85³/₄" / 2.178m
 Internal 83" / 2.11m
 Ridge ht. External 94¹/₂" / 2.4m
 Internal 91³/₄" / 2.33m
 Side Access Door:
 1970mm x 762mm


Double Doors:
 1970mm x 2135mm
 All doors are fully framed 75mm x 75mm and diagonally braced
 Windows 610mm x 457mm
 Opening window 552mm x 400mm
 Cladding 16mm x 125mm
 Rimlock and key fitted

OPTIONS AVAILABLE

22mm Premier cladding
 19mm Log lap
 4', 5', 6', or 8' fully framed
 75mm x 75mm double doors
 Felt options



Traditional Dutch Barn



Internal roof and shelf

STANDARD FEATURES

Fully framed & braced 5ft barn style double doors
 Door knob handle
 Rim lock & key
 One fixed window above door
 Galvanised hinges
 16mm x 125mm shiplap cladding
 50mm x 50mm framing
 1 internal shelf 33" wide
 Green mineral felt (not shown in picture)
 18' x 18" toughened glass

SPECIFICATION

Sizes available from 8ft x 6ft to 30ft x 10ft
 Eaves height on all sizes 1680mm / 66"
 Ridge height 8ft - 2980mm / 117"
 Ridge height 10ft - 3355mm / 132"

Door size 5ft double doors barn style with 22mm tongue & grooved cladding
 Fixed Georgian window size 18" x 18" / 460mm x 460mm
 Framing 50mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

Framing 75mm x 50mm
 22mm Premier cladding (as shown in picture)
 19mm Log lap
 22mm heavy duty floor boards
 Felt options including tiles (as shown in picture)
 Joinery opening side windows
 Additional fixed window in the rear apex
 Security option on door
 Additional shelving

storage & kennels

Garden Store



SPECIFICATION

Size: 1.52m x 915mm (5'x3')
 Eaves ht. 1610mm
 Ridge ht. 1710mm
 Door 1460mm x 762mm Braced with lock and key
 Framing 38mm x 50mm
 Cladding 16mm x 125mm
 Roof can slope either way

OPTIONS AVAILABLE

Doors available in any position
 22mm Premier cladding
 22mm floor boards

Garden Tidy



SPECIFICATION

Size: 1.83m x 762mm (6' x 2'6")
 Eaves ht. 1610mm
 Ridge ht. 1710mm
 Double doors 1460mm x 1320mm
 Braced with lock and key
 Framing 38mm x 50mm
 Cladding 16mm x 125mm
 Roof can slope either way

OPTIONS AVAILABLE

Doors available in any position
 22mm Premier cladding
 22mm floor boards

storage & kennels

Garden Chest



STANDARD FEATURES

Hinged lid with hasp and staple
 Sliding internal storage shelf

SPECIFICATION

Size: 1.52m x 610mm (5' x 2')
 Eaves ht. 710mm
 Ridge ht. 802mm
 Framing 38mm x 50mm
 Cladding 16mm x 125mm

Wheelie Bin Store



SPECIFICATION

Size: 2134mm x 915mm (7' x 3')
 Eaves ht. 1555mm
 Ridge ht. 1655mm
 Slated Double Doors 1550mm x 937mm (x2)
 Framing 38mm x 50mm
 Cladding 16mm x 125mm (to sides and back)
 Roof can slope either way
 Tower bolt fitted to each door

OPTIONS AVAILABLE

22mm Premier cladding
 19mm Log lap

storage & kennels

Dog Kennel



SPECIFICATION

sizes: 1.22m x 915mm (4' x 3')
 1.22m x 1.22m (4' x 4')
 eaves ht. 660mm
 ridge ht. 940mm
 hole size 380mm x 305mm
 framing 38mm x 50mm
 cladding 16mm x 125mm

Deluxe Apex Kennel



STANDARD FEATURES

4' x 6' kennel unit with floor and access door with closing bob hole
 6' x 6' run with 50mm x 50mm Galvanised weldmesh on 50mm x 50mm framing, with front Access door
 Run designed with bottom drainage for easy cleaning

SPECIFICATION

Size: 3.05m x 1.83m (10' x 6')
 Eaves ht. kennel 1780mm
 Eaves ht. run 1832mm
 Ridge ht. kennel 2250mm
 Ridge ht. run 2305mm
 Door in run 1757mm x 600mm
 Door in kennel 1765mm x 604mm
 Framing 50mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
 19mm Log Lap cladding
 22mm floorboards

storage & kennels

Pent Kennel 6' and 8' run



STANDARD FEATURES

4' x 4' kennel with floor, front door and side with tower bolt
 Dog access hole
 Run made from 50mm x 50mm galvanised heavy duty wire mesh, on 50mm x 50mm framing,
 Door with tower bolt

SPECIFICATION

Sizes: 3.05m x 1.22m (10' x 4') and 3.66m x 1.22m (12' x 4')
 Eaves ht. 1433mm
 Ridge ht. 1610mm
 Doors 1455mm x 596mm
 Framing kennel 38mm x 50mm
 Framing run 38mm x 50mm and 50mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
 19mm Log Lap cladding
 22mm floorboards
 Run on left side opposite to main picture
 6' or 8' run

Hen House



STANDARD FEATURES

3' X 6' Hen house with raised floor and single door. Separate closing hen access door and ramp
 3' x 6' run with 13mm x 13mm Galvanised weldmesh, and meshed door

SPECIFICATION

Size: 1.83m x 1.83m (6' x 6')
 Eaves ht. 69 1/4" / 1760mm
 Ridge ht. 87 3/4" / 2230mm
 Meshed door 610mm x 1760mm
 Single door in Hen house 1460mm x 915mm
 Hen house access door 485mm x 380mm
 Ramp 315 x 750
 Framing 50mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

Attachable Nesting Box:
 Size: 480mm x 1830mm (19" x 6")
 Comprising of 3 nesting compartments each 585 mm x 355mm
 Eaves ht. 31 1/2" / 800mm
 Ridge ht. 36 1/2" / 927mm
 22mm Premier cladding
 19mm Log lap
 22mm floorboards

summer
houses



The Chatsworth

STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock
2 front fixed Georgian windows
2 top hung opening
Georgian side windows
Roof canopy 1' or 300mm
Door drip
Profiled fascia boards

SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 3.66m x 3.66m (12' x 12')
Eaves ht. 72" / 1838mm

Ridge ht. 8' - 97" / 2466mm
10' - 102" / 2580mm
12' - 106" / 2700mm
Doors 1790mm x 1103mm
Windows 1010mm x 475mm
1040mm x 717mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap Cladding
22mm floor boards
Toughened glass
50mm x 50mm framing
2'6" or 4' veranda
Felt options

summer
houses



Elton Home Office

STANDARD FEATURES

Georgian half glazed door with arched inserts
Heavy duty bolted black door hinges
door drip
Georgian opening windows with arched inserts
1' or 300mm roof overhang
75mm x 50mm framing to sides and ends and braced

SPECIFICATION

Sizes from: 2.44m x 3.05m (8' x 10') to 4.87m x 3.66m (16' x 12')
Eaves ht. 81" / 2075mm
Ridge ht. 10' - 110" / 2790mm
12' - 113" / 2865mm

Door 1990mm x 762mm
Front window 1000mm x 1043mm
Side window 1413mm x 1043mm
Framing 75mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Additional side window
Double glazing
Toughened glass
Mirror image available
Felt options

summer
houses



The Windsor

STANDARD FEATURES

Fully glazed georgian double doors, antique hinges, ornate handle and lever lock

Georgian bay window

2 Georgian top hung opening side windows

Roof canopy 300mm

Side wings 300mm

Profiled fascias

Door drip

SPECIFICATION

Sizes from: 1.83m x 3.05m (6' x 10') to 3.66m x 3.66m (12' x 12')

Eaves ht. 73" / 1864mm

Ridge ht. 10' - 101" / 2570mm
12' - 104" / 2655mm

Double doors 1790mm x 1103mm

Windows 1040mm x 717mm

Bay window 1035mm x 1035mm

Framing 10' - 38mm x 50mm

12' - 50 x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

Mirror image available

Felt options

summer
houses



The Balmoral

STANDARD FEATURES

Half glazed joinery doors, with antique hinges, ornate handle and lever lock

4 front fixed windows

Roof canopy 1' or 300mm

Profiled fascia boards

Door drip

SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 3.66m x 3.66m (12' x 12')

Eaves ht. 73" / 1864mm

Ridge ht. 8' / 98" / 2490mm

10' - 101" / 2570mm

12' - 104" / 2655mm

Double doors 1790mm x 1103mm

Windows: 7' - 400mm x 400mm

Ridge ht. 8' - 553mm x 400mm

10' - 610 x 457mm

12' - 610 x 457mm

Framing 8' - 38mm x 50mm

10' - 38mm x 50mm

12' - 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

2'6" or 4' veranda

Felt options

summer
houses



The Buckingham

STANDARD FEATURES

Fully glazed georgian door with antique hinges, ornate handle and lever lock
Georgian bay window
1 Georgian top hung opening side window
Profiled fascias
Door drip

SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 8') to 3.66m x 3.66m (12' x 12')
Eaves ht. 73" / 1864mm
Ridge ht. 8' - 98" / 2490mm
10' - 101" / 2570mm
12' - 104" / 2655mm

Door 1790mm x 762mm
Windows 1040mm x 717mm
Bay window 1035mm x 1035mm
Framing 8' - 38 x 50mm
10' - 38mm x 50mm
12' - 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
22mm floor boards
Toughened glass
50mm x 50mm framing
19mm Loglap Cladding
2'6" or 4' veranda
Mirror image available
Felt options

summer
houses



The Kensington

STANDARD FEATURES

Fully glazed georgian double doors with antique hinges, ornate handle and lever lock
2 Georgian front windows
8ft front has 6 pane fixed
10ft / 12ft front has 9 pane openers
2 Georgian opening side windows
Roof canopy 300mm
Side wings
Profiled fascias
Door drip

SPECIFICATION

Sizes from: 1.83m x 3.05m (6' x 10') to 3.66m x 3.66m (12' x 12')
Eaves ht. 73" / 1864mm

Ridge ht. 8' - 98" / 2490mm
10' - 101" / 2570mm
12' - 104" / 2655mm
Double doors 1790mm x 1103mm
Windows 1040mm x 717mm
Framing 8' - 38mm x 50mm
10' - 38mm x 50mm
12' - 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
22mm floor boards
Toughened glass
50mm x 50mm framing
19mm Log Lap cladding (picture shown in loglap cladding), this is not a standard feature
Felt options

summer
houses



Summer Cabin

STANDARD FEATURES

Roof overhang 1' or 300mm
Four diamond leaded windows
Stable door with ornate antique hinges
Rim lock and knob handle
Profiled fascia boards

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.44m x 3.05m (8' x 10')
Eaves ht. 66" / 1685mm
Ridge ht. 6' - 85" / 2160mm
7' - 89" / 2270mm
8' - 90" / 2280mm
10' - 93" / 2370mm

Door 1775mm x 762mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap Cladding
22mm floor boards
Veranda 2'6" or 4'
50mm x 50mm framing
Square leaded windows
Toughened glass
Felt options

summer
houses



Wentworth

STANDARD FEATURES

Fully glazed georgian doors with antique hinges, ornate handle and lever lock
2 Georgian fixed front windows
2 top opening georgian side windows
4' veranda with plant boxes and side wings
Profiled fascia and veranda boards
Door drip

SPECIFICATION

Sizes from: 3.05m x 3.05m (10' x 10') to 4.87m x 3.66m (16' x 12')
Eaves ht. 73" / 1854mm

Ridge ht. 10' - 101" / 2560mm
12' - 104" / 2645mm
Double doors 1790mm x 1510mm
Windows 1010mm x 475mm
1040mm x 717mm
Framing 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap Cladding
22mm floor boards
Toughened glass
Felt options

summer
houses



Harewood

STANDARD FEATURES

Georgian half glazed door with antique hinges complete with lever locking handle

Side Georgian top opening 9 pane window, side window is interchangeable

Square bay Window

Door drip

Profiled fascias

Roof overhang 1' or 300mm

SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 3.66m x 3.66m (12' x 12')

Eaves ht. 73" / 1864mm

Ridge ht. 8' - 98" / 2475mm

10' - 101" / 2570mm

12' - 104" / 2655mm

Door 1790mm x 762mm

Windows 1040mm x 717mm

Square Bay window 686mm x 1035

Framing 8' - 38mm x 50mm

10' - 38mm x 50mm

12' - 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

Bay window can have an opening window on front of bay

22mm premier cladding

19mm Log Lap cladding

22mm floor boards

Veranda 2'6" or 4'

50mm x 50mm framing

Toughened glass

Mirror image available

Felt options

summer
houses



Corner Summerhouse Georgian

STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock

2 Georgian top opening side windows

Door drip

SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 6')

2.13m x 2.13m (7' x 7')

2.44m x 2.44m (8' x 8')

Eaves ht. 76" / 1942mm

Ridge ht. 84" / 2146mm

Double doors 1790mm x 1103mm

Windows 1040mm x 717mm

Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

Felt options

summer
houses



Corner Summerhouse Leaded

STANDARD FEATURES

Fully glazed double doors with leaded glass and antique hinges, ornate handle and lever lock

2 leaded glass top opening side windows

Door drip

SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 6')

2.13m x 2.13m (7' x 7')

2.44m x 2.44m (8' x 8')

Eaves ht. 76" / 1942mm

Ridge ht. 84" / 2146mm

Double doors 1790mm x 1103mm

Windows 1040mm x 717mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

Felt options

summer
houses



Blenheim Corner House



Option available without upright supports

STANDARD FEATURES

Fully glazed Georgian double doors

Antique hinges

Ornate handle with lever lock

2 top hung side windows

Door drip

Includes 3' veranda with roof overhang

Roof is boarded on the underside of veranda

SPECIFICATION

Sizes available from 9ft x 9ft to 11ft x 11ft including 3ft veranda

Eaves height 2260mm / 89"

Ridge height 2410mm / 95"

Doors 1790mm x 1103mm

Windows either side of door, 6 pane on 9ft x 9ft, 9 pane on 10ft x 10ft & 11ft x 11ft
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

Diamond leaded, square leaded glazing or plain glazing
22mm premier cladding
22mm heavy duty floor boards
19mm log lap

50mm x 50mm framing

75mm x 50mm framing

Toughened glass

Felt options

Profiled fascia boards

Without upright supports

summer
houses



Dual Pent Summerhouse

STANDARD FEATURES

Half glazed arch top double doors with antique hinges, ornate handle and lever lock

2 Arch top fixed front windows

2 Arch top opening side windows

Integrated 4' storage room with side access by security door

Galvanised bolted hinges & padbolt protector to side access door

Profiled fascias

SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 4.87m x 4.87m (16 x 16)

Eaves ht. 76" / 1937mm

Ridge ht. 85" / 2153mm

Security door 1867mm x 908mm fully framed and braced in 50mm x 50mm framing

Double Doors 1780mm x 1512mm (10' & above)

1780mm x 1103mm (8')

Front windows 445mm x 1010mm

Side windows 1040mm x 717mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding

19mm Log lap cladding

22mm Floor boards

2'6" veranda with fully tiled canopy in a choice of red, slate or green shingles

Toughened Glass

Choice of Georgian, diamond lead, or square lead glazing



summer
houses



Pent Summer house

STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock

2 Georgian fixed front windows

2 Georgian 9 pane opening side windows

Profiled fascias

Door drip

SPECIFICATION

Sizes from: 1.52m x 2.44m (5' x 8') to 3.05m x 4.87m (10 x 16)

Eaves ht. 76" / 1937mm (back pent)

Ridge ht. 85" / 2153mm (front pent)

Double Doors 1780mm x 1103mm

Front windows 1010mm x 475mm

Side windows 1040mm x 717mm

Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding

19mm Log lap cladding

22mm Floor boards

2'6" veranda with fully tiled canopy in a choice of red, slate or green shingles

Toughened Glass

Choice of Georgian, diamond lead, or square lead glazing

summer
houses



Althorpe

STANDARD FEATURES

Half Glazed arched top doors with antique hinges, ornate handle and lever lock
2 Arched top front fixed windows
Door Drip
Roof overhang 1' or 300mm

SPECIFICATION

Sizes: 1.52m x 2.13m (5x7) and 2.13m x 2.13m (7x7) only
Eaves height 73" / 1854mm
Ridge height 81" / 2060mm
Door 1790mm x 1103mm
Windows 445mm x 1010mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier Cladding
19mm Log Lap cladding
22mm Heavy Duty Floor Boards
2'6" or 4' Veranda
Side window fixed or opening
Square or diamond leaded windows
Felt options

summer
houses



Octagon 8 and 10

RED TILE



STANDARD FEATURES

Half glazed joinery single door with antique hinges, ornate handle and lever lock
2 fully glazed top hung windows
2 fully glazed fixed windows
All side panels of the same size are fully interchangeable upon installation
Choice of shingle tiled roof in grey slate, green or red
Door drip
Choice of georgian, diamond lead, or square lead glazing

SPECIFICATION

Size: 8' x 8' / 2440mm x 2440mm
Eaves ht. 80" / 2035mm

Ridge ht. 99" / 2535mm
Door 1790mm x 762mm
Windows 1040mm x 717mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OCTAGON 10 SPECIFICATION

size: 10' x 10' / 3050mm x 3050mm
Eaves ht. 80" / 2035mm
Ridge ht. 99" / 2535mm
Double doors 1790mm x 1103mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Toughened glass

summer
houses



Stretched Octagon 8

STANDARD FEATURES

Half glazed double doors with antique hinges, ornate handle and lever lock
2 fully glazed top hung windows
2 fully glazed fixed windows
Choice of shingle tiled roof in grey slate, green or red
Door drip
Choice of Georgian, diamond lead, or square lead glazing

SPECIFICATION

size: 8' x 8'9" / 2440mm x 2667mm
Eaves ht. 80" / 2035mm
Ridge ht. 99" / 2535mm
Door 1790mm x 1103mm
Windows 1040mm x 717mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Toughened glass

summer
houses



Pavilion

STANDARD FEATURES

Georgian double doors, antique hinges, ornate handle and lever lock
2 Georgian top hung 12 pane, opening side windows
2 front fixed Georgian windows
The front roof canopy is 485mm wide and tiled in red, green or slate tiles. The roof is felted with green roofing felt.
Profiled fascia boards

SPECIFICATION

Sizes from 2.44m x 1.83m (8x6) up to 3.05m x 2.44m (10x8)
Eaves height 77" / 1950mm
Ridge height 88" / 2170mm

Double doors 1790mm x 1103mm
Windows 1360mm x 718mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm Heavy Duty floor
Toughened Glass
50mm x 50mm framing
Felt options

Playhouses



Toddlers Retreat

STANDARD FEATURES

Two side windows with acrylic
 Door window Square acrylic
 Scalloped fascia boards
 Antique door handle and hinges with adjustable door catch

SPECIFICATION

Size: 4' X 4' (1.2m x 1.2m)
 Eaves ht. 42 1/4" (1074mm)
 Ridge ht. 54 1/2" (1384mm)
 Door 1074mm x 596mm
 Side windows 457mm x 457mm
 Door window 305mm x 305mm
 Framing 38mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
 19mm Log lap
 Window Box
 2' veranda

Playhouses



My Little Den

STANDARD FEATURES

Door with diamond window, antique hinges and handle with adjustable door catch
 2 acrylic Georgian windows
 Roof canopy 1' or 300mm
 Profiled fascias

SPECIFICATION

Sizes from: 1.22m x 1.83m (4' x 6') to 2.44m x 1.83m (8' x 6')
 Eaves ht. 51" / 1318mm
 Ridge ht. 73" / 1850mm
 Door 1282mm x 596mm
 Windows 457mm x 457mm

Framing 38mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
 19mm Log Lap cladding
 22mm floorboards
 Window box
 2' veranda (with or without) please specify
 Additional fixed side window
 Felt options

Playhouses



Ladybird Cottage

STANDARD FEATURES

Georgian joinery door with antique hinges and handle, with adjustable door catch

4 acrylic Georgian windows
Roof canopy 1' or 300mm
Profiled fascia boards

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (7' x 7')
Eaves ht. 49" / 1255mm
Ridge ht. 70" / 1790mm
Door 1180mm x 535mm
Windows 457mm x 457mm

Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
2' verandah (with or without) please specify
Felt options

Playhouses



Snowdrop Cottage

STANDARD FEATURES

Antique hinges and handle with adjustable door catch
4 acrylic Georgian windows
Georgian joinery door with antique hinges and handle with adjustable door catch
Chimney pot
Hip roof
Profiled fascia boards

SPECIFICATION

Sizes: 1.83m x 1.22m (6' x 4') and 2.13m x 1.52m (7' x 5')
Eaves ht. 51" / 1318mm

Ridge ht. 4' - 63" / 1615mm
5' - 70" / 1790mm
Door 1180mm x 535mm
Windows 457mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Felt options

Playhouses



The Fortress

STANDARD FEATURES

Door with 305mm (12") square window, antique hinges and handle with adjustable door catch
 2 Georgian side fixed windows with acrylic
 Ladders with double hand rails
 Platform guard rails to 4 sides
 Profiled fascias

SPECIFICATION DEN

Size: 1.52m x 1.52m (5' x 5')
 Eaves ht. 51" / 1318mm
 Ridge ht. 67"1/4" / 1705mm
 Door: 1282mm x 596mm
 Framing: 38mm x 50mm
 Cladding: 16mm x 125mm

SPECIFICATION PLATFORM

Raised Platform Base: 9' x 9' (2744mm x 2744mm)
 Support Frame ht. 41"1/2" (1055mm)
 Guard Rail ht. 42" (1070mm)
 Ladders: Step width 410mm
 Overall Standing ht. 9'3/4" (2760mm)
 Cladding: 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
 19mm Log lap
 Support Frame boarded with optional access door
 Boarded Base

Playhouses



Kids Club House

STANDARD FEATURES

Door with antique hinges and handle with adjustable door catch
 Diamond window in door
 4 acrylic Georgian windows
 Profiled fascias and veranda boards
 3' veranda with side returns
 Functional dormer window
 Interior with raised bunk and guard rails
 Ladder with hand rail

SPECIFICATION

Sizes:
 2.13m x 3.05m (7' x 10')
 2.44m x 3.05m (8' x 10')
 3.05m x 3.05m (10' x 10')

Eaves ht. 66" / 1680mm
 Ridge ht. 110" / 2810mm
 Door 1410mm x 596mm
 Windows 457mm x 457mm
 Framing 38mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
 19mm Log Lap cladding
 22mm floorboards
 Side fixed windows
 Felt options

Playhouses



Charleys Castle

STANDARD FEATURES

Door with antique hinges, handle and adjustable door catch
 Diamond window in door
 3 front acrylic Georgian windows
 1 side acrylic Georgian window
 Profiled fascias and veranda boards
 2'6" veranda with front returns
 Twin level upper bunk with ladder and handrail

SPECIFICATION

Sizes: 2.59m x 3.05m (8'6" x 10') and 3.2m x 3.05m (10'6" x 10') including 2'6" verandah

Eaves ht. 66" / 1680mm
 Ridge ht. 110" / 2810mm
 Return veranda's 1070mm
 Door 1410mm x 596mm
 Windows 457mm x 457mm
 Framing 38mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
 19mm Log Lap cladding
 22mm floorboards
 Side fixed window
 Felt options

Playhouses



The Hideaway

STANDARD FEATURES

Single and double garage doors with diamond windows, complete with antique hinges and handles
 2 acrylic Georgian windows and window boxes
 Internal bunk bed with safety rail, ladder with hand rail
 Profiled fascias
 Roof canopy 1' or 300mm

SPECIFICATION

sizes: 1.52m x 3.05m (5' x 10') and 1.83m x 3.05m (6' x 10')
 Eaves ht. 56" / 1435mm to 70" / 1785mm
 Ridge ht. 96" / 2430mm

Single door 1410mm x 596mm
 Double door 1042mm x 1158mm
 Windows 457mm x 457mm
 Framing 38mm x 50mm
 Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
 19mm Log Lap cladding
 22mm floorboards
 Additional side windows
 Mirror image available
 Felt options

Playhouses



Candy Cabin

STANDARD FEATURES

- Stable door with diamond in the top
- Antique hinges and handle with adjustable closing catch
- 2 acrylic Georgian windows
- 1 window box
- Internal bunk bed with safety rail, ladder with hand rail
- Profiled fascias
- Roof canopy 1' or 300mm

SPECIFICATION

- sizes: 1.83m x 2.44m (6' x 8') and 2.44m x 2.44m (8' x 8')
- Eaves ht. 56" / 1435mm to 70" / 1785mm
- Ridge ht. 93" / 2360mm

Stable door:

- Top 678mm x 596mm
- Bottom 730mm x 596mm
- Windows 457mm x 457mm
- Framing 38mm x 50mm
- Cladding 16mm x 125mm

OPTIONS AVAILABLE

- 22mm premier cladding
- 19mm Log Lap cladding
- 22mm floorboards
- Side fixed window
- Window box
- Mirror image available
- 2' veranda (with or without) please specify
- Felt options

Playhouses



Wilton Lodge

STANDARD FEATURES

- Door with diamond window, antique hinges and handle, with adjustable catch
- 3 acrylic Georgian windows with large window box
- Roof canopy 1' or 300mm
- Internal bunk bed with safety rail
- Ladder with hand rail
- Profiled fascias

SPECIFICATION

- Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (9' x 7')
- Eaves ht. 56" / 1435mm to 70" / 1785mm

Ridge ht. 93" / 2350mm

- Door 1410mm x 596mm
- Windows 457mm x 457mm
- Framing 38mm x 50mm
- Cladding 16mm x 125mm

OPTIONS AVAILABLE

- 22mm premier cladding
- 19mm Log Lap cladding
- 22mm floorboards
- Side fixed windows
- 2' veranda (with or without) please specify
- Mirror image available
- Felt options